

## Kongres Container

# Container 50kw inverter external dimensions



## Overview

---

Learn more about the detailed model, parameter configuration, compatibility, environment, and product description of the SUN2000-50KTL-M3.

Learn more about the detailed model, parameter configuration, compatibility, environment, and product description of the SUN2000-50KTL-M3.

\*3.SUN2000-50KTL-M3 raises potential between PV- and ground to above zero through integratedPID recovery functionto recover module degradation from PID. Supported module types include: P-type (mono, poly), N-type (nPERT, HIT) Learn more about the detailed model, parameter configuration.

Note a: The maximum input voltage is the upper threshold of the DC voltage. If the input voltage exceeds the threshold, the solar inverter may be damaged. Note b: If the input voltage is beyond the operating voltage range, the solar inverter cannot work properly. Note a: When the SUN2000 is.

Get samples of US\$ 16500/Piece ! US\$ 16500/Piece Company Info. Basic Info. Model NO. Max. Continuous Charging and Dischargin SR series of small-scale optical storage integrated outdoor cabinet energy storagesystem adopts modular design, featuring easy integration, easy deployment, easyexpansion.

We combine high energy density batteries, power conversion and control systems in an upgraded shipping container package.Lithium batteries are EVE brand, whose LFP chemistry packs 143kWh of energyinto a battery volume weighing 2570kg. Our design incorporates safety protection mechanisms to endure.

AC Phase Reverse, Fan/Relay Failure, OLP, GFDI, Anti-islandi SA 22.2 CE LVD, IEC 62477, CE EMC rsion systems always consume certain active power s the loss. The actual PF range is 0.1~1.0 leading or laggin ariables in the equation defining power factor e determined with the variation of the active.

This supplier is a manufacturer and trader, offering full customization, design customization, and sample customization services. They also provide FBA forwarding services. Mainly selling in France, Germany, and Romania, with a

high positive review rate of 96.3%. Max. DC Current Max. AC output.

## Container 50kw inverter external dimensions

---

## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://drugiswiatowykongrespolakow.pl>