


Kongres Container

Solar module export containers are not



Overview

High cube (HC) containers are required for cross country transportation. If not for export, standard container may be used. All module Pallets have to be securely fixed.

High cube (HC) containers are required for cross country transportation. If not for export, standard container may be used. All module Pallets have to be securely fixed.

If your modules are damaged on arrival, notify the driver immediately, notify carrier and LONGi staff within 24 hours of delivery, and provide a record with detailed information within 48 hours of delivery. See claims and warranties for full details. Always insert the fork from the short side of.

Here are some of the regulations and compliance factors to consider when shipping solar panels: When shipping solar panels across borders, you need to follow many rules and regulations. These guidelines cover various aspects, including the safety standards concerning potentially dangerous.

Being high-priced products, an important - yet often neglected aspect in the solar industry - is the significance of correct, safe, and efficient packaging of the solar panels. Solar panels reaching the customers broken, cracked, deformed, or scratched as a result of improper packaging are not only.

and storage of PV modules, please read this manual carefully. When you need to unpack and install the modules, you can search and download relevant content from Jinko's official website. In the process of loading and unloading, the forklift should be selected reasonably according to the size and.

For a product made primarily of fragile glass, solar panels can absorb many stressors and still successfully function well beyond their 30-year warrantied lifespans. After passing a barrage of tests — including mechanical stress, hail stress and thermal cycling — solar panels are given their stamp.

This document provides transport, storage and unpacking instructions for the package of Goldi 72-cell & 60-cell solar modules. The modules are stacked on

Wooden pallet in Vertical long side position, 30 / 20 modules per Pallet, wrapping film around the module front side, and Protector at all side.

Solar module export containers are not

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://drugiswiatowykongrespolakow.pl>